




Fluid Power Specialist



## Product Filtration Range Guide

Model Number	Max Flow Gpm	Max Operating Pressure	Port Configuration	Port Sizes	Collapse Pressure
<b>SPINONS</b>					
CP250	5	200 PSI	INLINE	1/4 NPT	150 PSID
CP380	7	200 PSI	INLINE	3/8 NPT, 9/16-18 SAE	150 PSID
CP 500	12	200 PSI	INLINE	1/2 NPT, 3/4-16 SAE	150 PSID
CPL500	20	200 PSI	INLINE	1/2 NPT, 3/4-16 SAE	150 PSID
CP750	15	200 PSI	INLINE	3/4 NPT, 1 1/16-12 SAE	150 PSID
CPL750	25	200 PSI	INLINE	3/4 NPT, 1 1/16-12 SAE	150 PSID
CP1010	25	200 PSI	INLINE	1 NPT, 1 5/16-12 SAE	150 PSID
CPL1010	40	200 PSI	INLINE	1 NPT, 1 5/16-12 SAE	150 PSID
CP1000	25	200 PSI	INLINE	3/4 NPT, 1 1/16-12 SAE	150 PSID
CP1280	50	150 PSI	INLINE	1 1/4 NPT, 1 5/8-12 SAE	150 PSID
CPL1280	60	150 PSI	INLINE	1 1/4 NPT, 1 5/8-12 SAE	150 PSID
CP1580	60	150 PSI	INLINE	1 1/2 NPT	150 PSID
CPL1580	70	150 PSI	INLINE	1 1/2 NPT	150 PSID
CP 1520	80	150 PSI	INLINE	1 1/2 NPT, 1 7/8-12 SAE	150 PSID
CPL1520	120	150 PSI	INLINE	1 1/2 NPT, 1 7/8-12 SAE	150 PSID
CP1500	90	150 PSI	INLINE	1 1/2 NPT, 1 7/8-12 SAE	150 PSID
CPL1500	120	150 PSI	INLINE	1 1/2 NPT, 1 7/8-12 SAE	150 PSID
<b>TANK MOUNTED</b>					
LIT500	10	100 PSI	INTANK	1/2 NPT, 3/4-16 SAE	150 PSID
LIT750	20	100 PSI	INTANK	3/4 NPT, 1 1/16-12 SAE	150 PSID
LIT1000	30	100 PSI	INTANK	1 NPT, 1 5/16-12 SAE	150 PSID
LIT1250	55	100 PSI	INTANK	1 1/4 NPT, 1 5/8-12 SAE	150 PSID
DUAL LIT 1250	55	100 PSI	INTANK	1 1/4 NPT, 1 11/8-12 SAE	150 PSID
LITB20	20	100 PSI	INTANK	1/2, 3/4 NPT, 3/4-16, 1 1/16-12 SAE	45 PSID
LITB40	40	100 PSI	INTANK	3/4, 1 NPT, 1 1/6-12, 1 5/16-12 SAE	45 PSID
<b>MEDIUM PRESSURE</b>					
DH500	10	350 PSI	INLINE	1/2 NPT, 3/4-16 SAE	
DH750	20	350 PSI	INLINE	3/4 NPT, 1 1/16-12 SAE	
DH1000	30	350 PSI	INLINE	1 NPT, 1 5/16-12 SAE	
DH1250	55	350 PSI	INLINE	1 1/4 NPT, 1 5/8-12 SAE	
DH1500	70	350 PSI	INLINE	1 1/2 NPT, 1 7/8-12 SAE	



**HYDRAULICS**  
WITH A GLOBAL REPUTATION